

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium sulphate granular

Version number: 1.0

Date of compilation: 2022-03-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Registration number (REACH) EC number CAS number

Ammonium sulphate

01-2119455044-46-XXXX 231-984-1 7783-20-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Fertiliser Chemical agent

1.3 Details of the supplier of the safety data sheet

Fertilife Benelux B.V. Finlandweg 19 4538BL Terneuzen Netherlands

+31 (0) 115 74 50 98 e-mail: info@fertilife.nl

1.4 Emergency telephone number

Poison centre Name Telephone Country Name Telephone Netherlands Dutch Poisons Information Center 31 (0)88 755 8000 (medical professionals only) Netherlands Netherlands emergency hotline 112 or a doctor

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP) This substance does not meet the criteria for classification. Not classified.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP) Not required.

2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.



Version number: 1.0

Date of compilation: 2022-03-15

SECTION 3: Composition/information on ingredients

3.1	Substances	
	Name of substance	ammonium sulphate
	Identifiers	
	REACH Reg. No	01-2119455044-46
	CAS No	7783-20-2
	EC No	231-984-1
	Purity	>99 %
	Molecular formula	H3N.1/2H2O4S
	Molar mass	132.14 ^g / _{mol}

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. In case of inhalation of decomposition products in a fire: symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

Following skin contact

Brush off loose particles from skin. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Do not rub the eyes. Mechanical stress can cause damage to the cornea. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water; Foam; Alcohol resistant foam; Dry extinguishing powder; ABC-powder; Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.



Version number: 1.0

Date of compilation: 2022-03-15

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced: nitrogen oxides (NOx), sulphur oxides (SOx), ammonia (NH3).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- incompatible substances or mixtures

Keep away from alkalis, nitrites, oxidising substances, acids.



according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium sulphate granular

Version number: 1.0

Control of effects

Protect against external exposure, such as Humidity. Moisture.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities Keep only in original container.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs				
Endpoint Threshold level		Protection goal, route of exposure	Used in	Exposure time
DNEL	DNEL 42.67 mg/kg human, dermal DNEL 6.4 mg/kg human, oral		worker (industry)	chronic - systemic effects
DNEL			consumer (private households)	chronic - systemic effects
DNEL	11.17 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL 1.667 mg/m ³ h		human, inhalatory	consumer (private households)	chronic - systemic effects
DNEL	12.8 mg/kg	human, dermal	consumer (private households)	chronic - systemic effects

Relevant PNECs and other threshold levels

Endpoint	Threshold level	Organism	Environmental compart- ment	Exposure time
PNEC	0.312 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.0312 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
PNEC	0.063 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	16.18 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	62.6 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)
PNEC	0.53 ^{mg} /I	aquatic organisms	water	intermittent release

8.2 Exposure controls

Appropriate engineering controls General ventilation. Date of compilation: 2022-03-15



Version number: 1.0

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium sulphate granular

Date of compilation: 2022-03-15

Individual protection measures (personal protective equipment) Eye/face protection

Use safety goggle with side protection (EN 166).

Skin protection

Protective clothing (EN 340 & EN ISO 13688).

- hand protection

ufacturer.

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on other quality characteristics and varies from manufacturer to man-

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >10 minutes (permeation: level 1).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Full face mask/half mask/quarter mask (EN 136/140). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid (granulate)
Colour	white - yellowish
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Evaporation rate	not determined
Flammability	non-combustible
Lower and upper explosion limit	LEL: UEL: not relevant
Flash point	not applicable
Auto-ignition temperature	not relevant
Decomposition temperature	>235 °C
pH (value)	5 (in aqueous solution: 10 % (^w / _w))



ion number: 1.0	Date of compilation: 2022-03-15
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	767 ^g / _l 25 ℃
Partition coefficient n-octanol/water (log value)	this information is not available
Vapour pressure	not determined
Density	1.77 ^{kg} / _l at 20 °C
Bulk density	890 ± 30 kg/m ³
Particle characteristics	no data available
Other information	
Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	-
Miscibility	Completely miscible with water.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from food, drink and animal feedingstuffs, acids, alkalis.

10.5 Incompatible materials

At room temperature may react flame-forming or even explosive with nitrites.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



Version number: 1.0

Date of compilation: 2022-03-15

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Classification according to GHS (1272/2008/EC, CLP)

Not classified.

Acute toxicity

Shall not be classified as acutely toxic.

Acute	toxicity
Acute	lovicity

Exposure route	Endpoint	Value	Species	
oral	LD50	4250 ^{mg} / _{kg}	rat	
dermal	LD50	>2,000 ^{mg} / _{kg}	rat	

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint Value Species Exposure til				
LC50	53 ^{mg} /ı	fish	96 h	
EC50	121.7 ^{mg} / _l	aquatic invertebrates	48 h	



Version number: 1.0

Date of compilation: 2022-03-15

Aquatic toxicity (chronic)			
Endpoint	Species	Exposure time	
EC50	2,700 ^{mg} / _l	algae	18 d
ErC50	1,605 ^{mg} / _l	algae	5 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

The bioaccumulation potential is low.

n-oc	tanol/water (log KOW)	-5.1
------	-----------------------	------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number or ID number	not subject to transport regulations
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	none
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regu- lations
14.6	Special precautions for user	

There is no additional information.



Version number: 1.0

Date of compilation: 2022-03-15

14.7 Maritime transport in bulk according to IMO instruments No data available.

Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Name	Name acc. to inventory	Restriction	No
ammonium sulphate	inorganic ammonium salts	R65	65

Legend

R65 1. Shall not be placed on the market, or used, in cellulose insulation mixtures or cellulose insulation articles after 14 July 2018 unless the emission of ammonia from those mixtures or articles results in a concentration of less than 3 ppm by volume (2,12 mg/m3) under the test conditions specified in paragraph 4.

A supplier of a cellulose insulation mixture containing inorganic ammonium salts shall inform the recipient or consumer of the maximum permissible loading rate of the cellulose insulation mixture, expressed in thickness and density.

A downstream user of a cellulose insulation mixture containing inorganic ammonium salts shall ensure that the maximum permissible loading rate communicated by the supplier is not exceeded.

2. By way of derogation, paragraph 1 shall not apply to placing on the market of cellulose insulation mixtures intended to be used solely for the production of cellulose insulation articles, or to the use of those mixtures in the production of cellulose insulation articles.

3. In the case of a Member State that, on 14 July 2016, has national provisional measures in place that have been authorised by the Commission pursuant to Article 129(2)(a), the provisions of paragraphs 1 and 2 shall apply from that date.

4. Compliance with the emission limit specified in the first subparagraph of paragraph 1 shall be demonstrated in accordance with Technical Specification CEN/TS 16516, adapted as follows:

(a) the duration of the test shall be at least 14 days instead of 28 days;

(b) the ammonia gas emission shall be measured at least once per day throughout the test;

(c) the emission limit shall not be reached or exceeded in any measurement taken during the test;

(d) the relative humidity shall be 90 % instead of 50 %;

(e) an appropriate method to measure the ammonia gas emission shall be used;

(f) the loading rate, expressed in thickness and density, shall be recorded during the sampling of the cellulose insulation mixtures or articles to be tested.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

Not listed.

Seveso Directive

2012/18	2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the applica- tion of lower and upper-tier requirements	Notes			
	not assigned					

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Not listed.



Version number: 1.0

Date of compilation: 2022-03-15

Water Framework Directive (WFD)

ist of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
ammonium sulphate	Substances which contribute to eu- trophication (in particular, nitrates and phosphates)		a)	

Legend

A) Indicative list of the main pollutants

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

Not listed.

Regulation on persistent organic pollutants (POP)

Not listed.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance by the supplier.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations		
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the In- ternational Carriage of Dangerous Goods by Road)		
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)		
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures		
DGR	Dangerous Goods Regulations (see IATA/DGR)		
DMEL	Derived Minimal Effect Level		
DNEL	Derived No-Effect Level		
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval		
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)		
EINECS	European Inventory of Existing Commercial Chemical Substances		
ELINCS	European List of Notified Chemical Substances		
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control		
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations		
ΙΑΤΑ	International Air Transport Association		
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)		
ICAO	International Civil Aviation Organization		
IMDG	International Maritime Dangerous Goods Code		



Version number: 1.0

Date of compilation: 2022-03-15

Abbr.	Descriptions of used abbreviations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a spe- cified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. For this product it is not legally required to provide an SDS under Article 31 of the REACH Regulation, because the product is not classified as hazardous. This document is prepared as a voluntary and additional service to provide general safety information.